

Phase-contrast micrograph of pericytes
contracting a silicone rubber substrate





Figure 1

5



10 Figure 2




Figure 3

3/10

Figure 4





Figure 5



4/10

Figure 6




Figure 7




Figure 8






Figure 9



7/10

Figure 10



8/10

Figure 11




Figure 12




Figure 13




Figure 14




Figure 15





Figure 16



9/10

Figure 17




Figure 18




Figure 19




Figure 20




Figure 21





Figure 22



10/10

Figure 23


Aspirin (0.3 μ M) CELLS

Figure 24


Aspirin (10 μ M) cells

Figure 25


Aspirin (1 μ M) pericytes

Figure 26


Aspirin (2 μ M) pericytes

Figure 27

Aspirin -vessels (after 10 mins)





Figure 28

R-flurbiprofen (0.1 μ M) - VESSELS

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ ~~FADED~~ TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.